Author Index Volume 7 (1989)

(The issue number is given in front of page numbers).

Agresti, A. and C. Chuang, Model-based methods for estimating cell proportions in	
cross classification tables having ordered catagories	(3) 245 - 258
Bentler, P.M., WY. Poon and SY. Lee, Generalized multimode latent variable	
models: Implementation by standard programs	$(2)\ 107-118$
Blyth, C.R., Letter to the Editor **	(1) 93- 97
Bonett, D. and J.A. Woodward, Parameter estimation in linear multinomial models	(2) 179 - 187
Bremner, J.M., see D.M. Smith	(3) 217 - 235
Bromberg, J., see M.P. Coffey	(2) 123 - 141
Bunch, J.R., Calculating selected elements of the inverse of symmetric positive	
definite matrices *	(2) 189 - 195
Chuang, C., see A. Agresti	(3) 245 - 258
Coffey, M.P., M. Feingold and J. Bromberg, A normed measure of variability	
among proportions	(2) 127 - 141
Deutler, T., Some remarks on the likelihood ratio test for the mean of a normal	
distribution with known coefficient of variation **	(3) 311 - 314
Draper, N.R., M. Evans and I. Guttmann, A Bayesian approach to system reliability	• •
when two components are dependent	(1) 39- 49
Evans, M., see N.R. Draper	(1) 39- 49
Feingold, M., see M.P. Coffey	(2) 127 - 141
Freeman, W.R., see M.E. Tarter	(1) 69- 77
Fung, WK., Quasi-Bayesian estimation of Stigler's data sets	(3) 237 - 243
Gomes, M.I., Generalized Gumbel and likelihood ratio test statistics in the multi-	
variate GEV model	(3) 259 - 267
Guttmann, I., see N.R. Draper	(1) 39- 49
Hadi, A.S., Diagnosing collinearity-influenced observations	(2) 143-159
Hsu, J.C., Sample size computation for designing multiple comparison experiments *	(1) 79- 91
Kalaba, R., N. Rasakhoo and L. Tesfatsion, A FORTRAN program for time-varying	
linear regression via flexible least squares *	(3) 291 - 309
Kappenman, R.F., Nonparametric binary regression without replication	(2) 119–125
Lee, SY., see P.M. Bentler	(2) 107-118
Lesage, J.P., see S.D. Simon	(2) 197–209
Little, R.J.A., Approximately calibrated small sample inference about means from	. ,
bivariate normal data with missing values	$(2)\ 161-178$
Poon, WY., see P.M. Bentler	(2) 107–118
	, ,

^{*} Appeared in Section II (Applications and Comparative Studies).

All others: Appeared in Section I (Methodology).

^{**} Appeared in Section III (Notes, Announcements and Reviews).

Preisler, H.K., Fitting dose-response data with non-zero backgrounds within generalized linear and generalized additive models (3) 279 - 290Ritov, Y., Monte Carlo computation of the mean of a function with convex support (3) 269 - 277Simeone, B. and I. Verdinelli, A feasible directions method for computing Bayes E-optimal block designs (1) 23- 38 Simon, S.D. and J.P. Lesage, Benchmarking numerical accuracy of statistical algorithms (2) 197 - 209Smith, D.M. and J.M. Bremner, All possible subset regressions using the QR decomposition (3) 217 - 235Tarter, M.E. and W.R. Freeman, On graphing estimated distributions using modified scatter diagrams (1) 51- 67 Verdinelli, I., see B. Simeone (1) 23- 38 Wixley, R.A.J., The use of asymmetric power transformation in data-based quasilikelihood analysis (1) 1-21 (2) 179 - 187Woodward, J.A., see D. Bonett Zelterman, D., Order statistics of the generalized logistic distribution (1) 69- 77

Package Report/Review Index Volume 7 (1989)

(The issue number is given in front of page numbers)

BMDP Statistical Software	(3) 323
Expanded Guide of the SAS System for PC's	(1) 101
GRAPH	(1) 105
IRIS: program package for multivariate analysis	(2) 211
MINSQ (Version 2.3)	(1) 104
SHAZAM (Version 6)	(1) 102
SPSS/PC + V3.0	(3) 318
SPSS-X for Cray Unicos	(1) 100
SYGRAPH	(3) 321
SYSTAT Version 3.2 for Macintosh	(3) 322
SYSTET Version 4.0	(3) 320
Targets Scientists for PC Data Analysis	(3) 319



